



# Channel Hookup

Page 1 of 7  
9/2/2025

## Overture Hall Rep Plot

Overture Center for the Arts  
Madison, WI

Lx Supervisor: Zak Stowe  
zstowe@overture.org

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(125)</b>	1st ELECTRIC	1	ETC Source4 36deg 750W 750w	SL PipeEnd Warm		125	
<b>(126)</b>	1st ELECTRIC	2	ETC Source4 36deg 750W 750w	SL PipeEnd Cool		126	
<b>(127)</b>	1st ELECTRIC	3	ETC Source4 26deg 750W 750w	SL PipeEnd Warm		127	
<b>(128)</b>	1st ELECTRIC	4	ETC Source4 26deg 750W 750w	SL PipeEnd Cool		128	
<b>(129)</b>	1st ELECTRIC	5	ETC Source4 PAR WFL 750w	Aux DS BX		129	
<b>(130)</b>	1st ELECTRIC	6	ETC Source4 36deg 750W 750w	FOH US		130	
<b>(131)</b>	1st ELECTRIC	7	ETC Source4 36deg 750W 750w	FOH US		131	
<b>(132)</b>	1st ELECTRIC	8	ETC Source4 19deg 750W 750w	Special		132	
<b>(135)</b>	1st ELECTRIC	9	Strand 8" Fresnelite 2kW	Color Wash		135	
<b>(136)</b>	1st ELECTRIC	11	ETC Source4 PAR WFL 750w	Aux DS BX		136	
<b>(137)</b>	1st ELECTRIC	12	ETC Source4 36deg 750W 750w	FOH US		137	
<b>(138)</b>	1st ELECTRIC	13	ETC Source4 36deg 750W 750w	FOH US		138	
<b>(139)</b>	1st ELECTRIC	14	Strand 8" Fresnelite 2kW	Color Wash		139	
<b>(140)</b>	1st ELECTRIC	15	ETC Source4 PAR WFL 750w	Aux DS BX		140	
<b>(141)</b>	1st ELECTRIC	17	ETC Source4 26deg 750W+Light Acc C Clamp 750w	BX Special		141	
<b>(142)</b>	1st ELECTRIC	18	ETC Source4 36deg 750W 750w	FOH US		142	
	"	20	"	"		"	
<b>(143)</b>	1st ELECTRIC	19	ETC Source4 19deg 750W 750w	Special		143	
<b>(144)</b>	1st ELECTRIC	21	ETC Source4 26deg 750W+Light Acc C Clamp 750w	BX Special		144	
<b>(145)</b>	1st ELECTRIC	23	ETC Source4 PAR WFL 750w	Aux DS BX		145	
<b>(146)</b>	1st ELECTRIC	24	Strand 8" Fresnelite 2kW	Color Wash		146	



# Channel Hookup

Page 2 of 7  
9/2/2025

## Overture Hall Rep Plot

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(149)</b>	1st ELECTRIC	25	ETC Source4 36deg 750W 750w	FOH US		149	
<b>(150)</b>	1st ELECTRIC	26	ETC Source4 36deg 750W 750w	FOH US		150	
<b>(151)</b>	1st ELECTRIC	27	ETC Source4 PAR WFL 750w	Aux DS BX		151	
<b>(152)</b>	1st ELECTRIC	29	Strand 8" Fresnelite 2kW	Color Wash		152	
<b>(153)</b>	1st ELECTRIC	30	ETC Source4 19deg 750W 750w	Special		153	
<b>(154)</b>	1st ELECTRIC	31	ETC Source4 36deg 750W 750w	FOH US		154	
<b>(155)</b>	1st ELECTRIC	32	ETC Source4 36deg 750W 750w	FOH US		155	
<b>(156)</b>	1st ELECTRIC	33	ETC Source4 PAR WFL 750w	Aux DS BX		156	
<b>(157)</b>	1st ELECTRIC	34	ETC Source4 26deg 750W 750w	SR PipeEnd Cool		157	
<b>(158)</b>	1st ELECTRIC	35	ETC Source4 26deg 750W 750w	SR PipeEnd Warm		158	
<b>(159)</b>	1st ELECTRIC	36	ETC Source4 36deg 750W 750w	SR PipeEnd Cool		159	
<b>(160)</b>	1st ELECTRIC	37	ETC Source4 36deg 750W 750w	SR PipeEnd Warm		160	
<b>(161)</b>	2nd ELECTRIC	1	ETC Source4 36deg 750W 750w	SL PipeEnd Warm		161	
	"	3	ETC Source4 26deg 750W 750w	"		"	
<b>(162)</b>	2nd ELECTRIC	2	ETC Source4 36deg 750W 750w	SL PipeEnd Cool		162	
	"	4	ETC Source4 26deg 750W 750w	"		"	
<b>(163)</b>	2nd ELECTRIC	5	Strand 8" Fresnelite 2kW	2k BX		163	
<b>(164)</b>	2nd ELECTRIC	6	ETC Source4 PAR WFL 750w	BX Wash 1		164	
<b>(167)</b>	2nd ELECTRIC	8	ETC Source4 19deg 750W 750w	Special		167	
	"	9	"	"		"	
<b>(168)</b>	2nd ELECTRIC	10	Strand 8" Fresnelite 2kW	2k BX		168	
<b>(169)</b>	2nd ELECTRIC	11	ETC Source4 PAR WFL 750w	BX Wash 1		169	



# Channel Hookup

Page 3 of 7  
9/2/2025

## Overture Hall Rep Plot

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(171)</b>	2nd ELECTRIC	13	Strand 8" Fresnelite 2kW	2k BX		171	
<b>(172)</b>	2nd ELECTRIC	14	ETC Source4 PAR WFL 750w	BX Wash 1		172	
<b>(173)</b>	2nd ELECTRIC	15	Strand 8" Fresnelite 2kW	2k BX		173	
<b>(174)</b>	2nd ELECTRIC	16	ETC Source4 26deg 750W 750w	BX Special		174	
<b>(177)</b>	2nd ELECTRIC	18	ETC Source4 26deg 750W 750w	BX Special		177	
<b>(178)</b>	2nd ELECTRIC	19	Strand 8" Fresnelite 2kW	2k BX		178	
<b>(179)</b>	2nd ELECTRIC	20	ETC Source4 PAR WFL 750w	BX Wash 2		179	
<b>(180)</b>	2nd ELECTRIC	21	Strand 8" Fresnelite 2kW	2k BX		180	
<b>(182)</b>	2nd ELECTRIC	23	ETC Source4 PAR WFL 750w	BX Wash 2		182	
<b>(184)</b>	2nd ELECTRIC	24	Strand 8" Fresnelite 2kW	2k BX		184	
<b>(185)</b>	2nd ELECTRIC	25	ETC Source4 19deg 750W 750w	Special		185	
	"	26	"	"		"	
<b>(187)</b>	2nd ELECTRIC	28	ETC Source4 PAR WFL 750w	BX Wash 2		187	
<b>(188)</b>	2nd ELECTRIC	29	Strand 8" Fresnelite 2kW	2k BX		188	
<b>(189)</b>	2nd ELECTRIC	30	ETC Source4 26deg 750W 750w	SR PipeEnd Cool		189	
	"	32	ETC Source4 36deg 750W 750w	"		"	
<b>(190)</b>	2nd ELECTRIC	31	ETC Source4 26deg 750W 750w	SR PipeEnd Warm		190	
	"	33	ETC Source4 36deg 750W 750w	"		"	
<b>(193)</b>	3rd ELECTRIC	5	ETC Source4 19deg 750W 750w	Special		193	



# Channel Hookup

Page 4 of 7  
9/2/2025

## Overture Hall Rep Plot

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(194)</b>	3rd ELECTRIC	1	ETC Source4 36deg 750W 750w	SL PipeEnd Warm		194	
	"	2	"	SL PipeEnd Cool		"	
	"	3	ETC Source4 26deg 750W 750w	SL PipeEnd Warm		"	
	"	4	"	SL PipeEnd Cool		"	
	"	6	ETC Source4 PAR WFL 750w	BX Wash 1		"	
<b>(197)</b>	3rd ELECTRIC	8	Strand 8" Fresnelite 2kW	2k BX		197	
<b>(198)</b>	3rd ELECTRIC	10	Strand 8" Fresnelite 2kW	2k BX		198	
<b>(199)</b>	3rd ELECTRIC	11	ETC Source4 PAR WFL 750w	BX Wash 1		199	
<b>(200)</b>	3rd ELECTRIC	13	Strand 8" Fresnelite 2kW	2k BX		200	
<b>(203)</b>	3rd ELECTRIC	14	ETC Source4 PAR WFL 750w	BX Wash 1		203	
<b>(204)</b>	3rd ELECTRIC	16	Strand 8" Fresnelite 500w	BX Special		204	
<b>(206)</b>	3rd ELECTRIC	18	Strand 8" Fresnelite 500w	BX Special		206	
<b>(209)</b>	3rd ELECTRIC	20	ETC Source4 PAR WFL 750w			209	
<b>(210)</b>	3rd ELECTRIC	21	Strand 8" Fresnelite 2kW	2k BX		210	
<b>(213)</b>	3rd ELECTRIC	23	ETC Source4 PAR WFL 750w	BX Wash 2		213	
<b>(214)</b>	3rd ELECTRIC	24	Strand 8" Fresnelite 2kW	2k BX		214	
<b>(215)</b>	3rd ELECTRIC	26	Strand 8" Fresnelite 2kW	2k BX		215	
<b>(217)</b>	3rd ELECTRIC	28	ETC Source4 PAR WFL 750w	BX Wash 2		217	
<b>(218)</b>	3rd ELECTRIC	29	ETC Source4 19deg 750W 750w	Special		218	
<b>(219)</b>	3rd ELECTRIC	30	ETC Source4 26deg 750W 750w	SR PipeEnd Cool		219	
	"	32	ETC Source4 36deg 750W 750w	"		"	



# Channel Hookup

Page 5 of 7  
9/2/2025

## Overture Hall Rep Plot

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(220)</b>	3rd ELECTRIC	31	ETC Source4 26deg 750W 750w	SR PipeEnd Warm		220	
	"	33	ETC Source4 36deg 750W 750w	"		"	
<b>(221)</b>	4th ELECTRIC	1	ETC Source4 36deg 750W 750w	SL PipeEnd Warm		221	
	"	3	ETC Source4 26deg 750W 750w	"		"	
<b>(222)</b>	4th ELECTRIC	2	ETC Source4 36deg 750W 750w	SL PipeEnd Cool		222	
	"	4	ETC Source4 26deg 750W 750w	"		"	
<b>(223)</b>	4th ELECTRIC	5	Strand 8" Fresnelite 2kW	2k BX		223	
<b>(224)</b>	4th ELECTRIC	6	ETC Source4 PAR WFL 750w	BX Wash 1		224	
<b>(225)</b>	4th ELECTRIC	7	ETC Source4 PAR WFL 750w	BX Wash 2		225	
<b>(226)</b>	4th ELECTRIC	8	ETC Source4 19deg 750W 750w	Special		226	
	"	9	"	"		"	
<b>(227)</b>	4th ELECTRIC	10	Strand 8" Fresnelite 2kW	2k BX		227	
<b>(228)</b>	4th ELECTRIC	11	ETC Source4 PAR WFL 750w	BX Wash 1		228	
<b>(229)</b>	4th ELECTRIC	12	ETC Source4 PAR WFL 750w	BX Wash 2		229	
<b>(230)</b>	4th ELECTRIC	13	Strand 8" Fresnelite 2kW	2k BX		230	
<b>(231)</b>	4th ELECTRIC	14	Strand 8" Fresnelite 2kW	2k BX		231	
<b>(232)</b>	4th ELECTRIC	15	ETC Source4 PAR WFL 750w	BX Wash 1		232	
<b>(233)</b>	4th ELECTRIC	16	ETC Source4 PAR WFL 750w	BX Wash 2		233	
<b>(234)</b>	4th ELECTRIC	17	ETC Source4 26deg 750W 750w	BX Special		234	
<b>(235)</b>	4th ELECTRIC	18	ETC Source4 19deg 750W 750w	Special		235	
<b>(236)</b>	4th ELECTRIC	19	ETC Source4 26deg 750W 750w	BX Special		236	
<b>(238)</b>	4th ELECTRIC	20	ETC Source4 PAR WFL 750w	BX Wash 1		238	
<b>(239)</b>	4th ELECTRIC	21	ETC Source4 PAR WFL 750w	BX Wash 2		239	



# Channel Hookup

Page 6 of 7  
9/2/2025

## Overture Hall Rep Plot

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(240)</b>	4th ELECTRIC	22	Strand 8" Fresnelite 2kW	2k BX		240	
<b>(241)</b>	4th ELECTRIC	23	Strand 8" Fresnelite 2kW	2k BX		241	
<b>(242)</b>	4th ELECTRIC	24	ETC Source4 PAR WFL 750w	BX Wash 1		242	
<b>(243)</b>	4th ELECTRIC	25	ETC Source4 PAR WFL 750w	BX Wash 2		243	
<b>(244)</b>	4th ELECTRIC	26	Strand 8" Fresnelite 2kW	2k BX		244	
<b>(245)</b>	4th ELECTRIC	27	ETC Source4 19deg 750W 750w	Special		245	
	"	28	"	"		"	
<b>(246)</b>	4th ELECTRIC	29	ETC Source4 PAR WFL 750w	BX Wash 1		246	
<b>(247)</b>	4th ELECTRIC	30	ETC Source4 PAR WFL 750w	BX Wash 2		247	
<b>(248)</b>	4th ELECTRIC	31	Strand 8" Fresnelite 2kW	2k BX		248	
<b>(249)</b>	4th ELECTRIC	32	ETC Source4 26deg 750W 750w	SR PipeEnd Cool		249	
	"	34	ETC Source4 36deg 750W 750w	"		"	
<b>(250)</b>	4th ELECTRIC	33	ETC Source4 26deg 750W 750w	SR PipeEnd Warm		250	
	"	35	ETC Source4 36deg 750W 750w	"		"	
<b>(801)</b>	CYC ELECTRIC	1	ChromaQ Color Force II 72" Plus 800w	Cyc Top		1215	15/1
<b>(802)</b>	CYC ELECTRIC	2	ChromaQ Color Force II 72" Plus 800w	Cyc Top		1215	15/37
<b>(803)</b>	CYC ELECTRIC	3	ChromaQ Color Force II 72" Plus 800w	Cyc Top		1216	15/73
<b>(804)</b>	CYC ELECTRIC	4	ChromaQ Color Force II 72" Plus 800w	Cyc Top		1216	15/109
<b>(805)</b>	CYC ELECTRIC	5	ChromaQ Color Force II 72" Plus 800w	Cyc Top		1217	15/145
<b>(806)</b>	CYC ELECTRIC	6	ChromaQ Color Force II 72" Plus 800w	Cyc Top		1217	15/181
<b>(807)</b>	CYC ELECTRIC	7	ChromaQ Color Force II 72" Plus 800w	Cyc Top		1218	15/217



# Channel Hookup

Page 7 of 7  
9/2/2025

## Overture Hall Rep Plot

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(808)</b>	CYC ELECTRIC	8	ChromaQ Color Force II 72" Plus 800w	Cyc Top		1218	15/253
<b>(901)</b>	1st ELECTRIC	10	ETC Halcyon Platinum 1.82kW			133	11/1
<b>(902)</b>	1st ELECTRIC	16	ETC Halcyon Platinum 1.82kW			134	11/61
<b>(903)</b>	1st ELECTRIC	22	ETC Halcyon Platinum 1.82kW			147	11/121
<b>(904)</b>	1st ELECTRIC	28	ETC Halcyon Platinum 1.82kW			148	11/181
<b>(905)</b>	3rd ELECTRIC	9	ETC Halcyon Platinum 1.82kW			195	13/36
<b>(906)</b>	3rd ELECTRIC	15	ETC Halcyon Platinum 1.82kW			201	13/131
<b>(907)</b>	3rd ELECTRIC	19	ETC Halcyon Platinum 1.82kW			208	13/226
<b>(908)</b>	3rd ELECTRIC	25	ETC Halcyon Platinum 1.82kW			212	13/321
<b>(911)</b>	2nd ELECTRIC	7	GLP Impression X5 710w			165	12/1
<b>(912)</b>	2nd ELECTRIC	12	GLP Impression X5 710w			165	12/36
<b>(913)</b>	2nd ELECTRIC	17	GLP Impression X5 710w			175	12/71
<b>(914)</b>	2nd ELECTRIC	22	GLP Impression X5 710w			176	12/106
<b>(915)</b>	2nd ELECTRIC	27	GLP Impression X5 710w			176	12/141
<b>(916)</b>	3rd ELECTRIC	7	GLP Impression X5 710w			196	13/1
<b>(917)</b>	3rd ELECTRIC	12	GLP Impression X5 710w			196	13/96
<b>(918)</b>	3rd ELECTRIC	17	GLP Impression X5 710w			207	13/191
<b>(919)</b>	3rd ELECTRIC	22	GLP Impression X5 710w			211	13/286
<b>(920)</b>	3rd ELECTRIC	27	GLP Impression X5 710w			211	13/381